

WEEKLY SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN
WEEK ENDING 31 AUGUST 1946

(C) Current cases, plus
delayed reports.
(T) Total cases for year
to date.
(T)* Total cases from
2 June 1946.

PREFECTURE	DIPHTHERIA		DYSENTERY		EPIDEMIC MENINGITIS		PARATYPHOID		SCARLET FEVER	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	46	2,259	121	462	3	185	29	560	7	237
AOMORI	11	541	21	153	--	53	8	95	--	11
IWATE	3	467	357	1,238	--	41	--	71	--	6
MIYAGI	12	646	415	1,088	1	61	20	178	--	36
AKITA	11	589	87	277	1	19	2	30	1	22
YAMAGATA	27	773	236	615	--	37	11	277	--	19
FUKUSHIMA	28	811	902	3,602	--	57	13	191	--	38
IBARAKI	9	311	224	2,243	--	23	18	148	--	15
TOCHIGI	9	609	206	1,843	--	11	15	199	--	10
GUMMA	2	186	216	2,979	--	19	4	78	2	34
SAITAMA	12	634	122	1,597	--	9	3	136	1	42
CHIBA	10	609	84	834	--	23	5	90	1	21
TOKYO	22	1,580	119	1,203	4	100	23	469	7	227
KANAGAWA	23	734	73	1,264	--	27	21	211	2	47
NIIGATA	14	926	155	895	1	21	11	203	2	15
TOYAMA	5	303	45	96	--	3	2	70	--	2
ISHIKAWA	22	684	9	77	--	--	3	43	--	3
FUKUI	1	239	23	91	--	2	1	35	--	1
YAMANASHI	6	116	114	943	2	16	10	58	1	5
NAGANO	8	451	238	1,385	--	7	13	197	2	56
GIFU	5	349	94	560	--	10	9	131	--	9
SHIZUOKA	13	939	177	2,101	3	30	8	300	1	47
AICHI	21	1,366	138	1,321	--	9	1	179	2	46
MIE	9	828	34	279	--	18	3	100	--	9
SHIGA	7	453	33	152	--	8	1	20	--	27
KYOTO	7	756	61	533	--	36	6	130	--	81
OSAKA	6	808	63	494	--	30	10	123	2	40
HYOGO	12	1,145	142	665	--	19	10	205	--	33
NARA	6	333	18	130	1	1	1	31	--	8
WAKAYAMA	9	446	45	215	--	1	4	67	--	13
TOTTORI	2	275	159	401	--	9	5	53	2	7
SHIMANE	8	544	72	347	--	5	2	106	--	5
OKAYAMA	12	694	78	505	--	4	5	27	1	22
HIROSHIMA	26	907	116	810	--	16	4	169	--	12
YAMAGUCHI	30	1,383	92	615	--	26	5	55	--	16
TOKUSHIMA	8	439	58	1,010	--	13	2	42	--	2
KAGAWA	8	637	172	1,276	--	8	18	106	--	13
EHIME	16	771	104	1,346	1	4	--	46	--	12
KOCHI	20	973	138	910	2	5	1	27	1	19
FUKUOKA	39	1,926	149	1,499	1	73	7	253	4	29
SAGA	9	570	64	1,056	1	11	1	100	--	2
NAGASAKI	22	662	75	1,462	--	33	12	135	--	9
KUMAMOTO	11	265	107	1,638	--	13	--	33	--	--
OITA	8	658	81	752	--	4	1	30	--	2
MIYAZAKI	20	479	91	1,843	--	15	3	83	--	8
KOGOSHIMA	20	532	75	1,141	--	17	2	36	--	3
TOTALS	635	32,606	6,203	45,946	21	1,132	333	5,926	39	1,321
**RATE	45.15		441.03		1.49		23.68		2.77	

(OVER)

Continued---

PREFECTURE	SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		MALARIA		JAP. B ENCEPH- ALITIS		CHOLERA	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)*	(C)	(T)*	(C)	(T)
HOKKAIDO	1	2,301	109	1,506	28	2,375	45	606	-	-	-	-
AOMORI	-	75	19	554	2	844	12	221	-	-	-	-
IWATE	-	49	21	444	-	120	6	376	-	2	-	-
MIYAGI	-	112	24	634	-	463	8	162	-	6	-	-
AKITA	-	65	18	304	-	217	14	524	-	3	-	-
YAMAGATA	-	113	20	631	-	529	20	341	-	1	-	-
FUKUSHIMA	-	230	62	1,436	-	284	-	122	-	9	-	6
IBARAKI	-	171	34	721	-	267	29	425	-	4	-	-
TOCHIGI	2	74	31	1,149	-	159	5	182	-	1	-	-
GUMMA	-	91	17	560	-	107	-	64	-	-	-	-
SAITAMA	-	206	35	959	-	702	4	69	1	2	-	1
CHIBA	-	216	26	901	-	332	6	147	-	-	5	33
TOKYO	-	1,818	36	1,651	1	9,493	69	962	-	7	-	12
KANAGAWA	-	426	42	1,215	-	874	41	303	1	2	-	29
NIIGATA	-	131	41	1,041	-	110	21	258	-	1	8	11
TOYAMA	-	177	48	623	-	39	11	136	-	2	9	77
ISHIKAWA	-	115	7	235	-	78	6	223	-	-	-	21
FUKUI	-	144	4	234	-	53	-	77	-	-	-	5
YAMANASHI	-	86	15	227	-	132	3	83	-	5	-	-
NAGANO	-	187	15	568	-	241	7	294	-	-	2	2
GIFU	-	249	20	785	-	82	4	75	-	1	-	-
SHIZUOKA	*	250	20	1,095	-	78	-	75	-	-	-	2
AICHI	-	1,176	47	990	-	1,093	31	654	-	-	1	10
MIE	-	232	37	794	-	84	7	121	-	-	-	2
SHIGA	-	162	11	231	-	62	107	978	-	-	-	-
OSAKA	-	2,428	40	1,085	-	6,377	5	80	1	1	24	65
KYOTO	-	693	42	1,111	-	1,063	9	192	-	-	-	15
HYOGO	1	2,160	54	2,017	4	2,588	27	440	-	2	2	3
NARA	-	405	18	376	-	177	13	115	-	-	-	-
WAKAYAMA	-	224	37	540	-	81	3	196	-	2	-	-
TOTTORI	-	53	90	291	-	45	22	294	-	3	5	6
SHIMANE	-	125	19	477	-	20	15	219	2	7	-	17
OKAYAMA	-	226	44	858	-	129	9	101	2	6	-	23
HIROSHIMA	-	393	45	1,197	-	60	27	620	-	3	26	128
YAMAGUCHI	-	127	10	262	-	83	21	500	2	2	9	75
TOKUSHIMA	-	172	40	642	-	17	54	723	1	5	-	-
KAGAWA	1	289	15	367	-	66	49	733	-	3	-	1
EHIME	-	160	14	354	-	32	24	689	-	9	-	17
KOCHI	-	184	26	519	1	41	13	160	-	6	-	-
FUKUOKA	-	415	13	1,034	1	468	152	818	1	6	11	168
SAGA	-	52	8	225	-	41	94	1,120	-	-	-	87
NAGASAKI	-	321	5	339	-	438	15	255	-	2	1	120
KUMAMOTO	-	81	6	174	-	9	20	243	-	3	-	25
OITA	-	83	2	149	-	34	41	697	-	-	-	6
MIYAZAKI	-	41	14	347	-	21	25	296	-	5	-	15
KOGOSHIMA	-	159	10	140	1	51	13	543	-	3	5	8
TOTALS	5	17,647	1,311	31,992	38	30,659	1,107	16,517	11	114	108	990
**RATE	.36		93.21		2.70		78.71		.78		7.68	

**Rate /100,000/ annum for current week.

Plague: 0

Prepared by: Public Health & Welfare
Section, GHQ, SCAP, (from
Japanese sources).

SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN

FOR

FIVE-WEEK PERIOD ENDING 31 AUGUST 1946

(C) Cases

(R) Rate/100,000
annum.

PREFECTURE	DIPHTHERIA		DYSENTERY		EPIDEMIC MENINGITIS		PARATYPHOID		SCARLET FEVER	
	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)
HOKKAIDO	180	53.64	338	100.72	18	5.36	114	33.97	23	6.85
AOMORI	56	53.42	79	75.37	5	4.77	37	35.30	1	.95
IWATE	42	35.87	1,011	863.39	-	-	17	14.52	1	.85
MIYAGI	56	39.87	979	697.05	5	3.56	23	16.38	-	-
AKITA	57	49.59	199	173.13	1	.87	13	11.31	7	6.09
YAMAGATA	85	68.34	551	443.00	-	-	51	41.00	1	.80
FUKUSHIMA	107	57.99	3,179	1723.02	8	4.34	71	38.48	4	2.17
IBARAKI	25	13.40	1,569	840.98	2	1.07	55	29.48	-	-
TOCHIGI	42	29.06	1,252	866.38	1	.69	38	26.30	-	-
GUMMA	13	8.87	1,573	1072.79	2	1.36	22	15.00	7	4.77
SAITAMA	71	36.35	915	468.48	-	-	17	8.70	4	2.05
CHIBA	54	27.97	559	289.56	8	4.14	16	8.29	3	1.55
TOKYO	110	27.28	685	169.88	20	4.96	111	27.53	22	5.46
KANAGAWA	69	35.47	566	290.92	2	1.03	59	30.33	8	4.11
NIIGATA	47	20.96	679	302.83	1	.45	41	18.29	4	1.78
TOYAMA	31	34.60	80	89.28	-	-	27	30.13	-	-
ISHIKAWA	59	69.97	48	56.93	-	-	14	16.60	-	-
FUKUI	12	17.93	53	79.18	-	-	6	8.96	-	-
YAMANASHI	13	16.95	629	820.22	3	3.91	25	32.60	2	2.61
NAGANO	63	32.26	1,196	612.35	1	.51	38	19.46	7	3.58
GIFU	16	11.52	401	288.72	-	-	66	47.52	-	-
SHIZUOKA	80	36.80	1,245	572.70	8	3.68	70	32.20	7	3.22
AICHI	95	33.82	923	328.59	1	.36	49	17.44	4	1.42
MIE	76	57.61	149	112.94	-	-	16	12.13	-	-
SHIGA	22	27.54	87	108.92	1	1.25	4	5.01	1	1.25
KYOTO	44	27.46	267	166.61	5	3.12	18	11.23	2	1.25
OSAKA	27	9.45	271	94.85	5	1.75	38	13.30	9	3.15
HYOGO	61	22.45	474	174.43	5	1.84	28	10.30	2	.74
NARA	29	40.54	94	131.41	1	1.40	7	9.79	-	-
WAKAYAMA	35	38.99	148	164.87	-	-	29	32.31	2	2.23
TOTTORI	5	9.33	321	598.99	1	1.87	23	42.92	2	3.73
SHIMANE	51	62.42	282	345.17	-	-	21	25.70	-	-
OKAYAMA	59	39.88	381	257.56	-	-	12	8.11	2	1.35
HIROSHIMA	63	34.40	492	268.63	-	-	36	19.66	1	.55
YAMAGUCHI	136	102.82	378	285.77	3	2.27	13	9.83	2	1.51
TOKUSHIMA	33	41.38	722	905.39	4	5.02	12	15.05	-	-
KAGAWA	37	44.10	913	1088.30	-	-	42	50.06	1	1.19
EHIME	73	55.04	671	505.93	1	.75	6	4.52	1	.75
KOCHI	77	100.41	388	505.95	2	2.61	6	7.82	3	3.91
FUKUOKA	150	53.70	1,083	387.71	4	1.43	36	12.89	13	4.65
SAGA	36	43.70	432	524.45	1	1.21	20	24.28	-	-
AGASAKI	68	49.91	698	512.33	1	.73	55	40.37	1	.73
KUMAMOTO	31	19.78	835	532.73	-	-	7	4.47	-	-
OITA	44	39.86	451	408.61	-	-	3	2.72	-	-
MIYAZAKI	63	68.42	658	714.59	1	1.09	16	17.38	1	1.09
KAGOSHIMA	47	29.99	294	187.57	-	-	7	4.47	-	-
TOTALS	2,650	37.68	29,198	415.20	121	1.72	1,435	20.41	148	2.10

SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN

FOR

FIVE WEEK PERIOD ENDING 31 AUGUST 1946

(C) Cases

(R) Rate /100,000/
annum.

Continued--

PREFECTURE	SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		MALARIA		JAP. B ENCEPH- ALITIS		CHOLERA	
	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)
HOKKAIDO	14	4.17	335	99.83	129	38.44	344	102.51	-	-	-	-
AOMORI	3	2.86	94	89.68	8	7.63	109	103.99	-	-	-	-
IWATE	-	-	84	71.74	-	-	89	76.01	1	.85	-	-
MIYAGI	-	-	155	110.36	4	2.85	46	32.75	1	.71	-	-
AKITA	-	-	56	48.72	1	.87	193	167.91	2	1.74	-	-
YAMAGATA	-	-	100	80.40	1	.80	135	108.54	-	-	-	-
FUKUSHIMA	-	-	310	168.02	7	3.79	67	36.31	2	1.08	-	-
IBARAKI	2	1.07	152	81.47	-	-	168	90.05	3	1.61	-	-
TOCHIGI	2	1.38	206	142.55	-	-	55	38.06	1	.69	-	-
GUMMA	-	-	74	50.47	-	-	7	4.77	-	-	-	-
SAITAMA	-	-	193	98.82	5	2.56	41	20.99	2	1.02	1	.51
CHIBA	-	-	144	74.59	1	.52	45	23.31	-	-	33	17.09
TOKYO	-	-	220	54.56	17	4.22	415	102.92	6	1.49	10	2.48
KANAGAWA	2	1.03	229	117.71	7	3.60	134	68.88	1	.51	-	-
NIIGATA	1	.45	227	101.24	-	-	112	49.95	-	-	11	4.91
TOYAMA	1	1.12	202	225.43	-	-	50	55.80	2	2.23	77	85.93
ISHIKAWA	-	-	45	53.37	-	-	61	72.35	-	-	21	24.91
FUKUI	-	-	18	26.89	-	-	10	14.94	-	-	5	7.47
YAMANASHI	1	1.30	82	106.93	1	1.30	23	29.99	5	6.52	-	-
NAGANO	4	2.05	95	48.64	-	-	76	38.91	-	-	2	1.02
GIFU	-	-	124	89.28	-	-	39	28.08	-	-	-	-
SHIZUOKA	-	-	226	103.96	-	-	20	9.20	-	-	-	-
AICHI	-	-	237	84.37	2	.71	215	76.54	-	-	9	3.20
MIE	-	-	184	139.47	-	-	71	53.82	-	-	2	1.52
SHIGA	1	1.25	54	67.61	-	-	525	657.30	-	-	-	-
KYOTO	1	.62	160	99.84	2	1.25	86	53.66	-	-	13	8.11
OSAKA	-	-	149	52.15	-	-	23	8.05	1	.35	65	22.75
HYOGO	4	1.47	278	102.30	17	6.26	170	62.56	-	-	3	1.10
NARA	2	2.80	78	109.04	3	4.19	96	134.21	-	-	-	-
WAKAYAMA	-	-	146	162.64	1	1.11	39	43.45	-	-	-	-
TOTTORI	-	-	112	203.99	-	-	97	181.00	1	1.87	6	11.20
SHIMANE	-	-	73	89.35	-	-	100	122.40	4	4.90	17	20.81
OKAYAMA	-	-	224	151.42	1	.68	32	21.63	5	3.38	15	10.14
HIROSHIMA	-	-	278	151.79	1	.55	247	134.86	-	-	28	15.29
YAMAGUCHI	-	-	68	51.41	1	.76	256	193.54	2	1.51	61	46.12
TOKUSHIMA	-	-	218	273.37	-	-	285	357.39	3	3.76	-	-
KAGAWA	1	1.19	73	87.02	-	-	306	364.75	1	1.19	-	-
EHIME	-	-	82	61.83	-	-	206	155.32	2	1.51	5	3.77
KOCHI	-	-	140	182.56	1	1.30	33	43.03	3	3.91	-	-
FUJIOKA	-	-	103	36.87	2	.72	599	214.44	5	1.79	117	41.89
SAGA	-	-	49	59.49	-	-	459	557.23	-	-	7	8.50
NAGASAKI	1	.73	42	30.83	-	-	132	96.89	2	1.47	69	50.65
KUMAMOTO	1	.64	25	15.95	-	-	115	73.37	-	-	23	14.67
OITA	-	-	16	14.50	-	-	221	254.59	-	-	6	5.44
MIZUMAKI	-	-	64	69.50	-	-	103	111.86	-	-	13	14.12
KAGOSHIMA	-	-	32	20.42	1	.64	57	36.37	3	1.91	7	4.47
TOTALS	41	.58	6,256	88.96	213	3.03	6,772	96.30	53	.83	626	8.90

No cases of Plague reported.

Prepared by: Public Health & Welfare
Section, GHQ, SCAP, (from
Japanese sources).

WEEKLY SUMMARY REPORT
OF
VENEREAL DISEASES IN JAPAN (C) Current cases plus de-
WEEK ENDING 31 AUGUST 1946 layed reports.
(T) Total cases for year
to date.

PREFECTURE	CHANCROID		GONORRHEA		SYPHILIS	
	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	16	501	145	2,605	39	1,138
AOMORI	5	230	26	929	16	403
IWATE	-	19	6	243	5	732
MIYAGI	11	176	140	977	23	469
AKITA	2	88	18	754	2	362
YAMAGATA	2	46	17	604	16	519
FUKUSHIMA	18	361	53	1,780	76	1,405
IBARAKI	6	162	39	1,032	24	743
TOCHIGI	8	108	63	677	30	249
GUMMA	3	138	53	892	138	371
SAITAMA	11	245	51	1,746	13	853
CHIBA	11	352	35	2,179	20	797
TOKYO	35	548	167	2,803	90	1,429
KANAGAWA	15	1,462	96	4,632	72	2,360
NIIGATA	32	166	112	1,339	53	732
TOYAMA	11	62	23	862	7	166
ISHIKAWA	35	343	80	1,106	138	1,238
FUKUI	16	101	73	378	47	254
YAMANASHI	1	100	20	552	15	210
NAGANO	4	105	24	880	73	678
GIFU	6	218	33	744	12	290
SHIZUOKA	2	149	30	773	25	508
AICHI	85	1,598	301	5,934	110	2,133
MIE	26	327	29	1,082	17	537
SHIGA	19	316	38	807	19	295
KYOTO	25	997	174	3,818	86	1,080
OSAKA	84	1,698	279	6,262	139	3,095
HYOGO	33	590	139	2,953	63	1,636
NARA	11	299	37	660	6	306
WAKAYAMA	4	456	26	1,311	16	623
TOTTORI	18	250	23	562	3	217
SHIMANE	4	115	27	494	19	722
OKAYAMA	25	304	67	1,175	51	736
HIROSHIMA	7	370	78	2,153	33	779
YAMAGUCHI	1	161	28	804	3	436
TOKUSHIMA	4	81	13	321	14	359
KAGAWA	8	355	24	817	16	520
EHIME	11	128	43	1,552	44	1,355
KOCHI	5	71	27	439	17	268
FUKUOKA	71	2,086	303	7,219	228	5,120
SAGA	13	370	86	2,327	87	2,494
NAGASAKI	16	514	103	3,886	41	1,804
KUMAMOTO	4	91	72	930	41	568
OITA	35	526	72	1,604	32	1,188
MIYAZAKI	2	66	4	347	10	506
KAGOSHIMA	NR	60	NR	894	NR	354
TOTALS	761	17,509	3,297	76,838	2,029	23,007
*RATE	54.11		234.42		144.26	

*Rate /100,000/ annum for current week.

Prepared by: Public Health & Welfare
Section, GHQ, SCAP.
(from Japanese sources)



Revised

INTERRICTION SURVEY MINES - AUGUST 1946

Percentage of individuals showing symptoms associated with nutritional deficiencies. The mines included are Johan coal mine in Fukushima, Mitsui Milke and Mitsui Yamano coal mines in Fukuoka, Bibai coal mine in Hokkaido. (total 4 coal mines), and copper mine in Akita. The findings for Tokyo Railway Workers are shown for comparison, along with the May results.

Month	No	Anemia %	Hypertension %	Optical Keratosis %	Cheilitis	Glossitis	Loss of Enamel	Knee Jerk	Edema	Chronic Diarrhea	Bradycardia	Delayed Menstr.	Impaired Lactation	Bone Mal-Growth	No Symptoms	One or More Symptoms
4 Coal Mines																
Average May	6175	3.4	3.8	-	5.2	1.3	5.2	1.5	1.4	2.3	25.3	42.2	2.0	75.9	24.1	
Average August	6000	6.8	1.6	-	11.6	0.5	6.8	0.8	0.9	2.1	21.3	19.6	1.0	69.2	30.8	
Copper Mines																
Akita																
May	2508	2.5	14.1	1.5	14.5	6.2	3.3	1.6	4.9	8.5	25.5	49.4	0.7	56.3	43.7	
Aug	2000	3.3	0.2	0.1	2.7	2.0	17.8	4.0	1.2	10.2	32.0	31.2	3.3	65.4	34.6	
Railway Workers																
Tokyo May	1200	4.2	7.2	0.5	20.2	6.5	16.7	4.1	0.9	6.3	25.8	23.3	1.6	50.9	49.1	
Aug	982	3.5	2.0	-	7.9	3.5	27.6	0.7	0.4	3.4	16.6	10.3	-	53.4	46.6	
August Average	6000															
Bibai	2000	0.4	4.3	-	10.0	1.2	3.1	-	0.6	0.7	23.3	8.9	0.4	77.9	22.1	
Johan	2000	11.8	0.2	-	10.0	0.1	6.2	0.4	1.3	-	20.2	28.0	1.0	70.3	29.7	
Milke	1000	2.3	0.5	-	11.3	0.3	4.4	1.9	0.3	7.7	19.4	24.0	0.9	74.3	25.7	
Yamano	1000	14.2	0.1	-	18.8	0.1	17.5	2.4	1.4	3.1	22.5	23.4	2.7	43.9	56.1	

-10-

Revised

NUTRITION SURVEY - 27 PREFECTURES - AUGUST 1946

Percentage of individuals showing symptoms associated with nutritional deficiencies. Along with the August results are shown the February and May results for comparison. The prefectures included are the original "19 prefectures" (Ibaraki, Tochigi, Gunma, Saitama, Chiba, Tokyo, Kanagawa, Shizuoka, Aichi, Shiga, Kyoto, Osaka, Hyogo, Wakayama, Okayama, Hiroshima, Fukuoka, Saga, Kumamoto); Additional "8 prefectures" (Hokkaido, Iwate, Miyagi, Toyama, Ishikawa, Fukuji, Ehime, Kochi) and the total "27 prefectures".

Month	No.	Anemia	Hyperkeratosis	Xerosis	Cheilitosis	Glossitis	Loss of Knee Jerk	Edema	Chronic Diarrhea	Brady-Cardia	Delayed Menstru.	Impaired Lactat.	Bone Mal-Gr.	No Symp.	One or more Symptoms
"19 prefectures"															
Feb.	64,513	2.3	2.1	—	10.7	2.5	4.6	1.6	0.9	3.0	9.8	—	—	—	—
May	59,381	2.9	2.2	0.4	12.4	2.2	5.4	1.6	0.8	5.9	10.8	27.1	0.5	72.3	27.7
August	59,482	3.4	0.9	0.07	11.9	2.1	6.9	1.0	1.0	1.8	11.7	23.4	0.5	72.5	27.5
"8 prefectures"															
May	16,582	2.3	6.0	0.4	14.5	1.2	8.5	1.9	1.4	4.4	15.8	26.1	1.8	66.5	33.5
August	15,551	2.3	2.7	0.03	10.5	0.8	8.6	1.2	1.3	1.7	12.7	19.1	1.1	72.0	28.0
"27 prefectures"															
May	75,963	2.8	3.0	0.4	12.8	2.0	6.1	1.7	0.9	5.6	11.9	26.9	0.8	71.1	28.9
August	75,033	3.2	1.3	0.6	11.6	1.9	7.2	1.1	1.1	1.8	11.9	22.3	0.7	72.4	27.6

Notes: 1. Three sets of data refer to the percentage of individuals within restricted age or sex group as follows:

- a. Delayed menstruation. Per cent of women 17 to 45 years of age.
 - b. Impaired lactation. Per cent of lactating women whose children up to 6 months must be given mixed or artificial feeding.
 - c. Bone mal-growth. Impaired growth or bone or rickets in children up to 6 years.
2. No symptoms. Per cent of individuals who showed no symptoms studied in the survey.
 3. One or more symptoms. Per cent of individuals who showed one or more symptoms studied in the surveys.

SOURCE: Imperial Japanese Government.

